





# **IGLU'** H 45 cm



Ventilated under-floor cavities for civil and industrial buildings that are being built new or reconstructed. - Urban infrastructure structures: squares, sidewalks, sports facility. - Creation of an intermediate slab or roofing for cavities used for ventilation and the passage of systems. - Rooms used for humidity and temperature control: drying cells, cold rooms, greenhouses, storage rooms and cellars. - Underground pipes for the passage of utilities. Inspectionable cavities and pits. - By filling it in simply with expanded clay, it can be used to create roof-top gardens. -Underground ducts for the dispersion of water and for drainage. - Overhead sidewalks for passenger loading and unloading or the creation of floating floors. - Levelling height.

Made of ALAPLEN® CP30





The images are only for examples. Recyclable material is allowed a size tolerance of  $\pm$  1,5%.

0,064 m<sup>3</sup>/m<sup>2</sup> Quantity (of concrete to the crown)\*\*

\*\* The volume may vary depending on the pouring condition and the tolerance of the material.

## PRESSURES AT THE BOTTOM OF THE STRUCTURE

### IGLU'® h 45 cm

Loads <sup>[1]</sup> kN/m <sup>2</sup>	Slab cm	Mesh Ø mm maglia cm x cm	Thickness of the lean concrete cm	Pressure at pillar base <sup>[2]</sup> MPa
15	4	Ø5 / 25 x 25	5 10 15	0,166 0,078 0,046
50	5	Ø6 / 15 x 15	10 15 20	0,223 0,128 0,083
100	8	Ø8 / 20 x 20	15 20 25	0,245 0,158 0,111

<sup>[1</sup>] Characteristic values

IGL

н

<sup>[2]</sup> Project values (Ultimate SLU Limit State - Coefficients A1)

The table expresses, starting from the various examples of overload and of thickness (to be given to the slab), the pressures that would be applied to the feet of the structure, in relation to the (eventual) thicknesses of the lean concrete. The overload hypotheses are indicated in table as an example; the actual load capacity is far superior. To know the exact values or sizing as shown in the project, contact the technical department.

The Technical Office is available to provide planning support both in the preliminary and in the executive phase to determine the technical characteristics of the structures, the related construction costs and perform comparative analyzes with alternative technical solutions. Upon request, it is also possible to take advantage of technical assistance on site.

# **TECHNICAL DATA**


LU″ H 45 cm			
	Useful size*	cm	50 x 50
	Height H*	cm	45
	Quantity of concrete to the crown**	m³/m²	0,064
	Average piece weight	kg	1,622
	Pallet dimensions	cm	110 x 110 x 247 h
	M² pallet	m²/PAL	75
	Pieces per pallet***	pcs/PAL	300
	Pallet weight***	kg/PAL	500

\* Recyclable material is allowed a size tolerance of  $\pm$  1,5%.

\*\* The volume may vary depending on the pouring condition and the tolerance of the material.


\*\*\* For production necessity the technical data can be change.

### **DRY ASSEMBLY METHOD**



To ensure a correct installation and perfectly created under-floor cavity please refer to the product's usage requirements.

# Dry-stone time-exposure of IGLU'®: 80 m²/h



The product does not fear the weather and can be stored outside. Take the utmost care to prevent the product from being deformed or overstressed during the unloading, storage and assembly. In case of disposal the product is totally recyclable.








Thickness cm 0,40	
B'	
Piece weight kg/pc 0,820	
Package m 50	

#### **CASTING STOP PIBIStop**

Max Height	cm	30+5+5+5+5
Max Width	cm	45
Thickness	cm	0,40
Package	pcs	25



#### EXTENSION

Width	cm	37,3
Depth	cm	min. 10 max. 50
Height	cm	41,0

#### EXTENSION

Width	cm	40
Depth	cm	35
Height	cm	43



Tel. +39 0422 2083 - Fax +39 0422 800234 export@daliform.com - www.daliform.com Via Postumia Centro, 49 - 31040 Gorgo al Monticano (TV) - Italy



Member of GBC Italy



PRODOTTO CONFORME a' offici d' COMPATIBILITÀ AMBIENTALE Mento fession de Davitsente AIC -Pationno e de Davitsente AIC -Pationno e de Maria

The information contained in this catalogue could be changed. Please request updated informations from DALIFORM GROUP, which reserves the right to make changes at any moment without notice. In consideration of recycled material, it is specified that there are tolerance margins caused by environmental factors.