

## DECLARACIÓN DE PRESTACIONES

nº. V.014

1. Código de identificación única del producto tipo:

**Números de producto en la lista adjunta**

*Tipo, lote u otro elemento identificativo:*

**Lavabos cerámicos fundidos sin rebosadero. Lavabos cerámicos con rebosadero.**

2. Usos previstos: **Higiene personal (PH)**

3. Nombre, denominación comercial o marca comercial registrada y dirección de contacto del fabricante mencionado en el artículo 11, apartado 5:

**RAVAK a.s.**  
**Obecnická 285**  
**261 01, Příbram 1**  
**REPÚBLICA CHECA**  
<http://www.ravak.es>

4. Representante autorizado: **no se aplica**

5. Sistemas de evaluación y verificación de la constancia de las prestaciones (EVCP): **Sistema 4.**

6. Norma armonizada: **EN 14688:2006**

Organismos notificados: ---

7. Prestaciones declaradas:

Lavabos sin rebosadero:

| <b>Características esenciales</b> | <b>Prestaciones</b> | <b>Especificaciones técnicas armonizadas</b> |
|-----------------------------------|---------------------|--|
| Caudal de rebose (OF)             | CL 00               | EN 14688:2006                                |
| Capacidad de limpieza (CA)        | Pasa                |  |
| Resistencia a la carga (LR)       | Pasa                |  |
| Durabilidad (DA)                  | Pasa                |  |

Lavabos con rebosadero:


| <b>Características esenciales</b> | <b>Prestaciones</b> | <b>Especificaciones técnicas armonizadas</b> |
|-----------------------------------|---------------------|--|
| Caudal de rebose (OF)             | CL 10/15/20         | EN 14688:2006                                |
| Capacidad de limpieza (CA)        | Pasa                |  |
| Resistencia a la carga (LR)       | Pasa                |  |
| Durabilidad (DA)                  | Pasa                |  |

Las prestaciones del producto identificado anteriormente son conformes con el conjunto de prestaciones declaradas. La presente declaración de prestaciones se emite, de conformidad con el Reglamento (UE) nº 305/2011, bajo la sola responsabilidad del fabricante arriba identificado.

Firmado por y en nombre del fabricante por:

Ing. Patrik Kreysa  
Director estratégico

En Příbram el 24 de julio de 2025



## Anexo a la declaración de prestaciones

### nº. V.014

#### Lavabos cerámicos fundidos sin rebosadero

| <i>Número de producto</i> | <i>Nombre/dimensión</i>                 | <i>Marcado CE</i>         |
|---------------------------|---|---------------------------|
| XJX01250000               | Balance 500 ceramic white               | EN 14688 - CL00; OF-CA-DA |
| XJX01260000               | Balance 600 ceramic white               | EN 14688 - CL00; OF-CA-DA |
| XJX01280000               | Balance 800 ceramic white               | EN 14688 - CL00; OF-CA-DA |
| XJX03155000               | Ceramic 550 O Slim keramické anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D155000               | Ceramic 550 O Slim ceramic black matt   | EN 14688 - CL00; OF-CA-DA |
| XJX01155001               | Ceramic 550 O Slim ceramic white        | EN 14688 - CL00; OF-CA-DA |
| XJX0E155000               | Ceramic 550 O Slim ceramic white matt   | EN 14688 - CL00; OF-CA-DA |
| XJX03155003               | Ceramic 550 R Slim ceramic anthracite   | EN 14688 - CL00; OF-CA-DA |
| XJX0D155001               | Ceramic 550 R Slim ceramic black matt   | EN 14688 - CL00; OF-CA-DA |
| XJX01155002               | Ceramic 550 R Slim ceramic white        | EN 14688 - CL00; OF-CA-DA |
| XJX0E155004               | Ceramic 550 R Slim ceramic white matt   | EN 14688 - CL00; OF-CA-DA |
| XJX01160001               | Ceramic 600 O ceramic white             | EN 14688 - CL00; OF-CA-DA |
| XJX01160002               | Ceramic 600 R ceramic white             | EN 14688 - CL00; OF-CA-DA |
| XJX01260001               | Comfort 600 ceramic white               | EN 14688 - CL00; OF-CA-DA |
| XJX01280001               | Comfort 800 ceramic white               | EN 14688 - CL00; OF-CA-DA |
| XJX01150000               | Cori 500 Slim ceramic white             | EN 14688 - CL00; OF-CA-DA |
| XJX01158000               | Cori 580 Slim ceramic white             | EN 14688 - CL00; OF-CA-DA |
| XJX03160000               | Julan 600 ceramic anthracite            | EN 14688 - CL00; OF-CA-DA |
| XJX0D160000               | Julan 600 ceramic black matt            | EN 14688 - CL00; OF-CA-DA |
| XJX01160007               | Julan 600 ceramic white                 | EN 14688 - CL00; OF-CA-DA |
| XJX0E160000               | Julan 600 ceramic white matt            | EN 14688 - CL00; OF-CA-DA |
| XJX01249000               | Márta 490 ceramic white                 | EN 14688 - CL00; OF-CA-DA |
| XJX01264000               | Márta 640 ceramic white                 | EN 14688 - CL00; OF-CA-DA |
| XJX01140006               | PAJA 400 ceramic white                  | EN 14688 - CL00; OF-CA-DA |
| XJX03138000               | Uni 380 S Slim ceramic anthracite       | EN 14688 - CL00; OF-CA-DA |
| XJX0D138000               | Uni 380 S Slim ceramic black matt       | EN 14688 - CL00; OF-CA-DA |
| XJX01138001               | Uni 380 S Slim keramické white          | EN 14688 - CL00; OF-CA-DA |
| XJX0E138000               | Uni 380 S Slim keramické white matt     | EN 14688 - CL00; OF-CA-DA |
| XJX03140000               | Uni 400 B Slim ceramic anthracite       | EN 14688 - CL00; OF-CA-DA |
| XJX0D140000               | Uni 400 B Slim ceramic black matt       | EN 14688 - CL00; OF-CA-DA |
| XJX01140003               | Uni 400 B Slim ceramic white            | EN 14688 - CL00; OF-CA-DA |
| XJX0E140000               | Uni 400 B Slim ceramic white matt       | EN 14688 - CL00; OF-CA-DA |
| XJX01140001               | Uni 400 ceramic white                   | EN 14688 - CL00; OF-CA-DA |
| XJX03140001               | Uni 400 Slim ceramic anthracite         | EN 14688 - CL00; OF-CA-DA |
| XJX0D140001               | Uni 400 Slim ceramic black matt         | EN 14688 - CL00; OF-CA-DA |
| XJX01140002               | Uni 400 Slim ceramic white              | EN 14688 - CL00; OF-CA-DA |
| XJX0E140001               | Uni 400 Slim ceramic white matt         | EN 14688 - CL00; OF-CA-DA |
| GPX2240601                | UNI 500 O Slim ceramic gloss white      | EN 14688 - CL00; OF-CA-DA |
| XJX03150001               | Uni 500 R Slim ceramic anthracite       | EN 14688 - CL00; OF-CA-DA |

| <b>Número de producto</b> | <b>Nombre/dimensión</b>                    | <b>Marcado CE</b>         |
|---------------------------|--|---------------------------|
| XJX03150000               | Uni 500 R Slim ceramic black               | EN 14688 - CL00; OF-CA-DA |
| XJX0D150000               | Uni 500 R Slim ceramic black matt          | EN 14688 - CL00; OF-CA-DA |
| XJX01150001               | Uni 500 R Slim ceramic white               | EN 14688 - CL00; OF-CA-DA |
| XJX0E150000               | Uni 500 R Slim ceramic white matt          | EN 14688 - CL00; OF-CA-DA |
| XJX03228000               | Yard 280 C ceramic anthracite              | EN 14688 - CL00; OF-CA-DA |
| XJX0G228000               | Yard 280 C ceramic alabaster pink          | EN 14688 - CL00; OF-CA-DA |
| XJX07228000               | Yard 280 C ceramic deepsea blue            | EN 14688 - CL00; OF-CA-DA |
| XJX0O228000               | Yard 280 C ceramic smoke grey              | EN 14688 - CL00; OF-CA-DA |
| XJX0D228000               | Yard 280 C ceramic black matt              | EN 14688 - CL00; OF-CA-DA |
| XJX08228000               | Yard 280 C ceramic grey green              | EN 14688 - CL00; OF-CA-DA |
| XJX01228000               | Yard 280 C ceramic white                   | EN 14688 - CL00; OF-CA-DA |
| XJX0E228001               | Yard 280 C ceramic white matt              | EN 14688 - CL00; OF-CA-DA |
| XJX0D028000               | Yard 280 C w/o hole ceramic black matt     | EN 14688 - CL00; OF-CA-DA |
| XJX01028000               | Yard 280 C w/o hole ceramic white          | EN 14688 - CL00; OF-CA-DA |
| XJX03028000               | Yard 280 C w/o hole ceramic anthracite     | EN 14688 - CL00; OF-CA-DA |
| XJX0G240000               | Yard 400 ceramic alabaster pink            | EN 14688 - CL00; OF-CA-DA |
| XJX03240002               | Yard 400 ceramic anthracite                | EN 14688 - CL00; OF-CA-DA |
| XJX07240000               | Yard 400 ceramic deepsea blue              | EN 14688 - CL00; OF-CA-DA |
| XJX08240000               | Yard 400 ceramic grey green                | EN 14688 - CL00; OF-CA-DA |
| XJX0O240000               | Yard 400 ceramic smoke grey                | EN 14688 - CL00; OF-CA-DA |
| XJX0D040000               | Yard 400 w/o hole ceramic black matt       | EN 14688 - CL00; OF-CA-DA |
| XJX08040000               | Yard 400 w/o hole ceramic grey green       | EN 14688 - CL00; OF-CA-DA |
| XJX01040000               | Yard 400 w/o hole ceramic white            | EN 14688 - CL00; OF-CA-DA |
| XJX0E040000               | Yard 400 w/o hole ceramic white matt       | EN 14688 - CL00; OF-CA-DA |
| XJX0D240002               | Yard 400 ceramic black matt                | EN 14688 - CL00; OF-CA-DA |
| XJX01240002               | Yard 400 ceramic white                     | EN 14688 - CL00; OF-CA-DA |
| XJX0E240001               | Yard 400 ceramic white matt                | EN 14688 - CL00; OF-CA-DA |
| XJX0G040000               | Yard 400 w/o hole ceramic alabaster pink   | EN 14688 - CL00; OF-CA-DA |
| XJX03040000               | Yard 400 w/o hole ceramic anthracite       | EN 14688 - CL00; OF-CA-DA |
| XJX07040000               | Yard 400 w/o hole ceramic deepsea blue     | EN 14688 - CL00; OF-CA-DA |
| XJX0O040000               | Yard 400 w/o hole ceramic smoke grey       | EN 14688 - CL00; OF-CA-DA |
| XJX0G245000               | Yard 450 C ceramic alabaster pink          | EN 14688 - CL00; OF-CA-DA |
| XJX03245000               | Yard 450 C ceramic anthracite              | EN 14688 - CL00; OF-CA-DA |
| XJX07245000               | Yard 450 C ceramic deepsea blue            | EN 14688 - CL00; OF-CA-DA |
| XJX0O245000               | Yard 450 C ceramic smoke grey              | EN 14688 - CL00; OF-CA-DA |
| XJX0D045000               | Yard 450 C w/o hole ceramic black matt     | EN 14688 - CL00; OF-CA-DA |
| XJX01045000               | Yard 450 C w/o hole ceramic white          | EN 14688 - CL00; OF-CA-DA |
| XJX0E045000               | Yard 450 C w/o hole ceramic white matt     | EN 14688 - CL00; OF-CA-DA |
| XJX0D245000               | Yard 450 C ceramic black matt              | EN 14688 - CL00; OF-CA-DA |
| XJX08245000               | Yard 450 C ceramic grey green              | EN 14688 - CL00; OF-CA-DA |
| XJX01245000               | Yard 450 C ceramic white                   | EN 14688 - CL00; OF-CA-DA |
| XJX0E245001               | Yard 450 C ceramic white matt              | EN 14688 - CL00; OF-CA-DA |
| XJX0G045000               | Yard 450 C w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |

| <b>Número de producto</b> | <b>Nombre/dimensión</b>                  | <b>Marcado CE</b>            |
|---------------------------|--|------------------------------|
| XJX03045000               | Yard 450 C w/o hole ceramic anthracite   | EN 14688 - CL00; OF-CA-DA    |
| XJX07045000               | Yard 450 C w/o hole ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA    |
| XJX08045000               | Yard 450 C w/o hole ceramic grey green   | EN 14688 - CL00; OF-CA-DA    |
| XJX00045000               | Yard 450 C w/o hole ceramic smoke grey   | EN 14688 - CL00; OF-CA-DA    |
| XJX0G260000               | Yard 600 ceramic alabaster pink          | EN 14688 - CL00; OF-CA-DA    |
| XJX03260002               | Yard 600 ceramic anthracite              | EN 14688 - CL00; OF-CA-DA    |
| XJX08260000               | Yard 600 ceramic grey green              | EN 14688 - CL00; OF-CA-DA    |
| XJX00260000               | Yard 600 ceramic smoke grey              | EN 14688 - CL00; OF-CA-DA    |
| XJX0D060000               | Yard 600 w/o hole ceramic black matt     | EN 14688 - CL00; OF-CA-DA    |
| XJX08060000               | Yard 600 w/o hole ceramic grey green     | EN 14688 - CL00; OF-CA-DA    |
| XJX01060000               | Yard 600 w/o hole ceramic white          | EN 14688 - CL00; OF-CA-DA    |
| XJX0E060000               | Yard 600 w/o hole ceramic white matt     | EN 14688 - CL00; OF-CA-DA    |
| XJX0D260002               | Yard 600 ceramic black matt              | EN 14688 - CL00; OF-CA-DA    |
| XJX07260000               | Yard 600 ceramic deepsea blue            | EN 14688 - CL00; OF-CA-DA    |
| XJX01260002               | Yard 600 ceramic white                   | EN 14688 - CL00; OF-CA-DA    |
| XJX0E260001               | Yard 600 ceramic white matt              | EN 14688 - CL00; OF-CA-DA    |
| XJX0G060000               | Yard 600 w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA    |
| XJX03060000               | Yard 600 w/o hole ceramic anthracite     | EN 14688 - CL00; OF-CA-DA    |
| XJX07060000               | Yard 600 w/o hole ceramic deepsea blue   | EN 14688 - CL00; OF-CA-DA    |
| XJX00060000               | Yard 600 w/o hole ceramic smoke grey     | EN 14688 - CL00; OF-CA-DA    |
| XJX0G280000               | Yard 800 ceramic alabaster pink          | EN 14688 - CL00; OF-CA-DA    |
| XJX03280002               | Yard 800 ceramic anthracite              | EN 14688 - CL00; OF-CA-DA    |
| XJX07280000               | Yard 800 ceramic deepsea blue            | EN 14688 - CL00; OF-CA-DA    |
| XJX00280000               | Yard 800 ceramic smoke grey              | EN 14688 - CL00; OF-CA-DA    |
| XJX01280002               | Yard 800 ceramic white                   | EN 14688 - CL00; OF-CA-DA    |
| XJX01080000               | Yard 800 w/o hole ceramic white          | EN 14688 - CL00; OF-CA-DA    |
| XJX0D080000               | Yard 800 w/o hole ceramic black matt     | EN 14688 - CL00; OF-CA-DA    |
| XJX0E080000               | Yard 800 w/o hole ceramic white matt     | EN 14688 - CL00; OF-CA-DA    |
| XJX0D280002               | Yard 800 ceramic black matt              | EN 14688 - CL00; OF-CA-DA    |
| XJX08280000               | Yard 800 ceramic grey green              | EN 14688 - CL00; OF-CA-DA    |
| XJX0E280001               | Yard 800 ceramic white matt              | EN 14688 - CL00; OF-CA-DA    |
| XJX0G080000               | Yard 800 w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA    |
| XJX03080000               | Yard 800 w/o hole ceramic anthracite     | EN 14688 - CL00; OF-CA-DA    |
| XJX07080000               | Yard 800 w/o hole ceramic deepsea blue   | EN 14688 - CL00; OF-CA-DA    |
| XJX08080000               | Yard 800 w/o hole ceramic grey green     | EN 14688 - CL00; OF-CA-DA    |
| XJX00080000               | Yard 800 w/o hole ceramic smoke grey     | EN 14688 - CL00; OF-CA-DA    |
| X01717                    | UNI F SLIM 400 ceramic white             | EN 14688 - CL00; OF-CA-DA    |
| XJXL3240000               | VEDA 400 W L ceramic anthracite          | EN 14688 - CL00; OF-CA-DA-LR |
| XJXLD240000               | VEDA 400 W L ceramic black matt          | EN 14688 - CL00; OF-CA-DA-LR |
| XJXL1240000               | VEDA 400 W L ceramic white               | EN 14688 - CL00; OF-CA-DA-LR |
| XJXLE240000               | VEDA 400 W L ceramic white matt          | EN 14688 - CL00; OF-CA-DA-LR |
| XJXP3240000               | VEDA 400 W R ceramic anthracite          | EN 14688 - CL00; OF-CA-DA-LR |
| XJXPD240000               | VEDA 400 W R ceramic black matt          | EN 14688 - CL00; OF-CA-DA-LR |

| Número de producto | Nombre/dimensión                 | Marcado CE                   |
|--------------------|----------------------------------|------------------------------|
| XJXP1240000        | VEDA 400 W R ceramic white       | EN 14688 - CL00; OF-CA-DA-LR |
| XJXPE240000        | VEDA 400 W R ceramic white matt  | EN 14688 - CL00; OF-CA-DA-LR |
| X01720             | VEDA 400 ceramic white           | EN 14688 - CL00; OF-CA-DA    |
| XJX03240000        | VEDA Slim 400 ceramic anthracite | EN 14688 - CL00; OF-CA-DA    |
| XJX0D240000        | VEDA Slim 400 ceramic black matt | EN 14688 - CL00; OF-CA-DA    |
| XJX01240000        | VEDA Slim 400 ceramic white      | EN 14688 - CL00; OF-CA-DA    |
| XJX0E240002        | VEDA Slim 400 ceramic white matt | EN 14688 - CL00; OF-CA-DA    |
| XJX01140007        | Zeta 400 Slim ceramic white      | EN 14688 - CL00; OF-CA-DA    |
| XJX01155007        | Zeta 550 Slim ceramic white      | EN 14688 - CL00; OF-CA-DA    |

## Lavabos cerámicos con rebosadero

| Número de producto | Nombre/dimensión                             | Marcado CE                   |
|--------------------|--|------------------------------|
| XJX01161000        | Arctic 610 x 460 ceramic white               | EN 14688 – CL10; OF-CA-DA    |
| XJX03155001        | Ceramic 550 O Slim Shelf ceramic anthracite  | EN 14688 – CL15; OF-CA-DA    |
| XJX0D155002        | Ceramic 550 O Slim Shelf ceramic black matt  | EN 14688 – CL15; OF-CA-DA    |
| XJX01155003        | Ceramic 550 O Slim Shelf ceramic white       | EN 14688 – CL15; OF-CA-DA    |
| XJX0E155001        | Ceramic 550 O Slim Shelf ceramic white matt  | EN 14688 – CL15; OF-CA-DA    |
| XJX01155004        | Ceramic 550 O Slim Wall ceramic white        | EN 14688 – CL15; OF-CA-DA    |
| XJX03155002        | Ceramic 550 O Slim Wall N ceramic anthracite | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0D155003        | Ceramic 550 O Slim Wall N ceramic black matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01155008        | Ceramic 550 O Slim Wall N ceramic white      | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0E155003        | Ceramic 550 O Slim Wall N ceramic white matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX03155004        | Ceramic 550 R Slim Shelf ceramic anthracite  | EN 14688 – CL15; OF-CA-DA    |
| XJX0D155004        | Ceramic 550 R Slim Shelf ceramic black matt  | EN 14688 – CL15; OF-CA-DA    |
| XJX01155005        | Ceramic 550 R Slim Shelf ceramic white       | EN 14688 – CL15; OF-CA-DA    |
| XJX0E155005        | Ceramic 550 R Slim Shelf ceramic white matt  | EN 14688 – CL15; OF-CA-DA    |
| XJX01155006        | Ceramic 550 R Slim Wall ceramic white        | EN 14688 – CL15; OF-CA-DA    |
| XJX03155005        | Ceramic 550 R Slim Wall N ceramic anthracite | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0D155005        | Ceramic 550 R Slim Wall N ceramic black matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01155000        | Ceramic 550 R Slim Wall N ceramic white      | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0E155006        | Ceramic 550 R Slim Wall N ceramic white matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01163000        | EBS Victory 630 ceramic white                | EN 14688 – CL15; OF-CA-DA    |
| XJX01160008        | Chrome 600 Slim ceramic white                | EN 14688 – CL20; OF-CA-DA    |
| XJX01170002        | Chrome 700 Slim ceramic white                | EN 14688 – CL20; OF-CA-DA    |
| XJX01180002        | Chrome 800 Slim ceramic white                | EN 14688 – CL20; OF-CA-DA    |

Ing. Patrik Kreysa  
Director estratégico

En Příbram el 24 de julio de 2025

