

DECLARATION OF PERFORMANCE

No. V.014

1. Unique identification code of the product-type:

Product numbers in the attached list.

Type, batch or other identifying element:

Ceramic washbasins without overflow. Ceramic washbasins with overflow.

2. Intended use: **Personal hygiene (PH)**

3. Name, company or registered trade mark and contact address of the manufacturer under article 11 paragraph 5:

RAVAK a.s.
Obecnická 285
261 01, Příbram 1
CZECH REPUBLIC
<http://www.ravak.com>

4. Authorised representative: **not applicable**

5. System of AVCP: **System 4.**

6. Harmonised standard: **EN 14688:2006**

Notified body: ---

7. Declared performances:

Washbasins without overflow:

| Basic characteristics | Performance | Harmonised technical specifications |
|----------------------------|-------------|-------------------------------------|
| Flow rate of overflow (OF) | CL 00 | EN 14688:2006 |
| Cleanability (CA) | Pass | |
| Load resistance (LR) | Pass | |
| Durability (DA) | Pass | |

Washbasins with overflow:


| Basic characteristics | Performance | Harmonised technical specifications |
|----------------------------|-------------|-------------------------------------|
| Flow rate of overflow (OF) | CL 10/15/20 | EN 14688:2006 |
| Cleanability (CA) | Pass | |
| Load resistance (LR) | Pass | |
| Durability (DA) | Pass | |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ing. Patrik Kreysa
Commercial Director

In Příbram, May 4th 2026



Attachment to declaration of performance

No. V.014

Ceramic washbasins without overflow

| Product no. | Name / dimensions | CE marking |
|--------------------|---------------------------------------|---------------------------|
| XJX01250000 | Balance 500 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01260000 | Balance 600 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01280000 | Balance 800 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03155000 | Ceramic 550 O Slim ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D155000 | Ceramic 550 O Slim ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01155001 | Ceramic 550 O Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E155000 | Ceramic 550 O Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX03155003 | Ceramic 550 R Slim ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D155001 | Ceramic 550 R Slim ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01155002 | Ceramic 550 R Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E155004 | Ceramic 550 R Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX01160001 | Ceramic 600 O ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01160002 | Ceramic 600 R ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01260001 | Comfort 600 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01280001 | Comfort 800 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01150000 | Cori 500 Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01158000 | Cori 580 Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03160000 | Julan 600 ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D160000 | Julan 600 ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01160007 | Julan 600 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E160000 | Julan 600 ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX01249000 | Márta 490 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01264000 | Márta 640 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01150003 | MOYA 500 ceramic white | EN 14688 - CL00; CA-DA |
| XJX01160011 | MOYA 600 ceramic white | EN 14688 - CL00; CA-DA |
| XJX01180006 | MOYA 800 ceramic white | EN 14688 - CL00; CA-DA |
| XJX01140006 | PAJA 400 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03138000 | Uni 380 S Slim ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D138000 | Uni 380 S Slim ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01138001 | Uni 380 S Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E138000 | Uni 380 S Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX03140000 | Uni 400 B Slim ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D140000 | Uni 400 B Slim ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01140003 | Uni 400 B Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E140000 | Uni 400 B Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX01140001 | Uni 400 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03140001 | Uni 400 Slim ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D140001 | Uni 400 Slim ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01140002 | Uni 400 Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E140001 | Uni 400 Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |

| Product no. | Name / dimensions | CE marking |
|--------------------|--|---------------------------|
| XJX0E140001 | Uni 400 Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX01150004 | Uni 500 O Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| GPX2240601 | Uni 500 O Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03150001 | Uni 500 R Slim ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX03150000 | Uni 500 R Slim ceramic black | EN 14688 - CL00; OF-CA-DA |
| XJX0D150000 | Uni 500 R Slim ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01150001 | Uni 500 R Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E150000 | Uni 500 R Slim ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX03228000 | Yard 280 C ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0G228000 | Yard 280 C ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX07228000 | Yard 280 C ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX0O228000 | Yard 280 C ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0D228000 | Yard 280 C ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX08228000 | Yard 280 C ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX01228000 | Yard 280 C ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E228001 | Yard 280 C ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0D028000 | Yard 280 C w/o hole ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01028000 | Yard 280 C w/o hole ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03028000 | Yard 280 C w/o hole ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0G240000 | Yard 400 ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03240002 | Yard 400 ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07240000 | Yard 400 ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX08240000 | Yard 400 ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX0O240000 | Yard 400 ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0D040000 | Yard 400 w/o hole ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX08040000 | Yard 400 w/o hole ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX01040000 | Yard 400 w/o hole ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E040000 | Yard 400 w/o hole ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0D240002 | Yard 400 ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01240002 | Yard 400 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E240001 | Yard 400 ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0G040000 | Yard 400 w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03040000 | Yard 400 w/o hole ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07040000 | Yard 400 w/o hole ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX0O040000 | Yard 400 w/o hole ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0G245000 | Yard 450 C ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03245000 | Yard 450 C ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07245000 | Yard 450 C ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX0O245000 | Yard 450 C ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0D045000 | Yard 450 C w/o hole ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01045000 | Yard 450 C w/o hole ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E045000 | Yard 450 C w/o hole ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0D245000 | Yard 450 C ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX08245000 | Yard 450 C ceramic grey green | EN 14688 - CL00; OF-CA-DA |

| Product no. | Name / dimensions | CE marking |
|--------------------|--|------------------------------|
| XJX01245000 | Yard 450 C ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E245001 | Yard 450 C ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0G045000 | Yard 450 C w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03045000 | Yard 450 C w/o hole ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07045000 | Yard 450 C w/o hole ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX08045000 | Yard 450 C w/o hole ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX0O045000 | Yard 450 C w/o hole ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0G260000 | Yard 600 ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03260002 | Yard 600 ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX08260000 | Yard 600 ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX0O260000 | Yard 600 ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0D060000 | Yard 600 w/o hole ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX08060000 | Yard 600 w/o hole ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX01060000 | Yard 600 w/o hole ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E060000 | Yard 600 w/o hole ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0D260002 | Yard 600 ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX07260000 | Yard 600 ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX01260002 | Yard 600 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E260001 | Yard 600 ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0G060000 | Yard 600 w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03060000 | Yard 600 w/o hole ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07060000 | Yard 600 w/o hole ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX0O060000 | Yard 600 w/o hole ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX0G280000 | Yard 800 ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03280002 | Yard 800 ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07280000 | Yard 800 ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX0O280000 | Yard 800 ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| XJX01280002 | Yard 800 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01080000 | Yard 800 w/o hole ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0D080000 | Yard 800 w/o hole ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX0E080000 | Yard 800 w/o hole ceramic hole white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0D280002 | Yard 800 ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX08280000 | Yard 800 ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX0E280001 | Yard 800 ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX0G080000 | Yard 800 w/o hole ceramic alabaster pink | EN 14688 - CL00; OF-CA-DA |
| XJX03080000 | Yard 800 w/o hole ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX07080000 | Yard 800 w/o hole ceramic deepsea blue | EN 14688 - CL00; OF-CA-DA |
| XJX08080000 | Yard 800 w/o hole ceramic grey green | EN 14688 - CL00; OF-CA-DA |
| XJX0O080000 | Yard 800 w/o hole ceramic smoke grey | EN 14688 - CL00; OF-CA-DA |
| X01717 | UNI F SLIM 400 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJXL3240000 | VEDA 400 W L ceramic anthracite | EN 14688 - CL00; OF-CA-DA-LR |
| XJXLD240000 | VEDA 400 W L ceramic black matt | EN 14688 - CL00; OF-CA-DA-LR |
| XJXL1240000 | VEDA 400 W L ceramic white | EN 14688 - CL00; OF-CA-DA-LR |
| XJXLE240000 | VEDA 400 W L ceramic white matt | EN 14688 - CL00; OF-CA-DA-LR |

| Product no. | Name / dimensions | CE marking |
|--------------------|----------------------------------|------------------------------|
| XJXP3240000 | VEDA 400 W R ceramic anthracite | EN 14688 - CL00; OF-CA-DA-LR |
| XJXP2400000 | VEDA 400 W R ceramic black matt | EN 14688 - CL00; OF-CA-DA-LR |
| XJXP1240000 | VEDA 400 W R ceramic white | EN 14688 - CL00; OF-CA-DA-LR |
| XJXPE240000 | VEDA 400 W R ceramic white matt | EN 14688 - CL00; OF-CA-DA-LR |
| X01720 | VEDA 400 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX03240000 | VEDA Slim 400 ceramic anthracite | EN 14688 - CL00; OF-CA-DA |
| XJX0D240000 | VEDA Slim 400 ceramic black matt | EN 14688 - CL00; OF-CA-DA |
| XJX01240000 | VEDA Slim 400 ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX0E240002 | VEDA Slim 400 ceramic white matt | EN 14688 - CL00; OF-CA-DA |
| XJX01140007 | Zeta 400 Slim ceramic white | EN 14688 - CL00; OF-CA-DA |
| XJX01155007 | Zeta 550 Slim ceramic white | EN 14688 - CL00; OF-CA-DA |

Ceramic washbasins with overflow

| Product no. | Name / dimensions | CE marking |
|--------------------|--|------------------------------|
| XJX01150002 | ARCTIC 500 ceramic white | EN 14688 – CL10; OF-CA-DA |
| XJX01161000 | ARCTIC 600 ceramic white | EN 14688 – CL10; OF-CA-DA |
| XJX01180004 | ARCTIC 800 ceramic white | EN 14688 – CL10; OF-CA-DA |
| XJX0D160001 | ARTISAN 600 ceramic black matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01160009 | ARTISAN 600 ceramic white | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0E160001 | ARTISAN 600 ceramic white matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0D180000 | ARTISAN 800 ceramic black matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01180003 | ARTISAN 800 ceramic white | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0E180000 | ARTISAN 800 ceramic white matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX03155001 | Ceramic 550 O Slim Shelf ceramic anthracite | EN 14688 – CL15; OF-CA-DA |
| XJX0D155002 | Ceramic 550 O Slim Shelf ceramic black matt | EN 14688 – CL15; OF-CA-DA |
| XJX01155003 | Ceramic 550 O Slim Shelf ceramic white | EN 14688 – CL15; OF-CA-DA |
| XJX0E155001 | Ceramic 550 O Slim Shelf ceramic white matt | EN 14688 – CL15; OF-CA-DA |
| XJX01155004 | Ceramic 550 O Slim Wall ceramic white | EN 14688 – CL15; OF-CA-DA |
| XJX03155002 | Ceramic 550 O Slim Wall N ceramic anthracite | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0D155003 | Ceramic 550 O Slim Wall N ceramic black matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01155008 | Ceramic 550 O Slim Wall N ceramic white | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0E155003 | Ceramic 550 O Slim Wall N ceramic white matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX03155004 | Ceramic 550 R Slim Shelf ceramic anthracite | EN 14688 – CL15; OF-CA-DA |
| XJX0D155004 | Ceramic 550 R Slim Shelf ceramic black matt | EN 14688 – CL15; OF-CA-DA |
| XJX01155005 | Ceramic 550 R Slim Shelf ceramic white | EN 14688 – CL15; OF-CA-DA |
| XJX0E155005 | Ceramic 550 R Slim Shelf ceramic white matt | EN 14688 – CL15; OF-CA-DA |
| XJX01155006 | Ceramic 550 R Slim Wall ceramic white | EN 14688 – CL15; OF-CA-DA |
| XJX03155005 | Ceramic 550 R Slim Wall N ceramic anthracite | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0D155005 | Ceramic 550 R Slim Wall N ceramic black matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01155000 | Ceramic 550 R Slim Wall N ceramic white | EN 14688 – CL15; OF-CA-DA-LR |
| XJX0E155006 | Ceramic 550 R Slim Wall N ceramic white matt | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01163000 | EBS Victory 630 ceramic white | EN 14688 – CL15; OF-CA-DA |
| XJX01125000 | Frost 500 ceramic white | EN 14688 – CL10; OF-CA-DA |

| Product no. | Name / dimensions | CE marking |
|--------------------|-------------------------------|------------------------------|
| XJX01125500 | Frost 550 ceramic white | EN 14688 – CL10; OF-CA-DA |
| XJX01126000 | Frost 600 ceramic white | EN 14688 – CL10; OF-CA-DA |
| XJX01128000 | Frost 800 ceramic white | EN 14688 – CL10; OF-CA-DA |
| XJX01160008 | Chrome 600 Slim ceramic white | EN 14688 – CL20; OF-CA-DA |
| XJX01170002 | Chrome 700 Slim ceramic white | EN 14688 – CL20; OF-CA-DA |
| XJX01180002 | Chrome 800 Slim ceramic white | EN 14688 – CL20; OF-CA-DA |
| XJX03160001 | Profi 600 ceramic anthracite | EN 14688 – CL15; OF-CA-DA-LR |
| XJX03180000 | Profi 800 ceramic anthracite | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01160010 | Selva 600 ceramic white | EN 14688 – CL15; OF-CA-DA-LR |
| XJX01180005 | Selva 800 ceramic white | EN 14688 – CL15; OF-CA-DA-LR |

Ing. Patrik Kreysa
Commercial Director

In Příbram, May 4th 2026

